


# AMERICAN PROFESSIONAL II JAZZ BASS® FL (0194000XXX)

## PARTS LAYOUT



# AMERICAN PROFESSIONAL II JAZZ BASS® FL (0194000XXX)

## PARTS LIST

REF#	DESCRIPTION	PART NUMBER
1	BODY AM PRO II JAZZ BASS 3TS	7719160500
1	BODY AM PRO II JAZZ BASS OWT	7719161505
1	BODY AM PRO II JAZZ BASS DK NIT	7719161561
2	NECK ASSY AM PRO II J-BASS FL RW	7718352000
3	KEY BASS DLX NEW MOD TAPER LONG	7710693000
4	STRING GUIDE BASS CHROME W/SCREW	0994913000
5	SCREW SMAB 4 X 1/2 OHP NI	0015578049
6	NECK PLATE AM PRO II BASS CHRM	7718313000
7	SCREW SMA 8 X 1-3/4 OHP NI	0015636049
8	PICKGUARD AM STD JAZZ BASS B/W/B	0063307000
8	PICKGUARD AM STD JAZZ BASS BRN SHELL	0074131000
9	PLATE CONTROL JAZZ BASS CHROME	0992057100
10	KNOB 2 LARGE 1 SMALL SKIRTED BLACK	0991370000
11	HEX NUT 3/8-32 X 3/32 TK NI	0016352049
12	WASHER LOCK INTL 3/8 X .687	0016436049
13	CONTROL 250K 10%	0990831000
14	CAPACITOR CD .05µF 100V 20%	0015552049
15	JACK PHONE OPEN CIRCUIT	0021956049
16	WASHER FLAT 3/8 X .614 NI	0031153049
17	BRIDGE ASSY HIGH MASS VINTAGE	0075124000
17A	BASE PLATE BASS HIGH MASS VINTAGE	0075125000
17B	BRIDGE BACKSTOP BASS HIGH MASS VINTAGE	0075126000
17C	BRIDGE SADDLE BASS HMV 1-2	0075127000
17D	BRIDGE SADDLE BASS HMV 3-4	0075135000
17E	SCREW 6-32 X 5/16 FHP ZI	0076154000
17F	SCREW CAP 6-32 X 1-1/2 HEX SKT BLX	0075394000
17G	SPRING TELE BRIDGE BLACK	0018872049
17H	SCREW SET 6-32 X 7/16 HEX SKT BLX NYLOK	0075354000
18	SCREW SMAB 5 X 1 OHP NI	0015610049


\*= NOT PICTURED IN DIAGRAM






# AMERICAN PROFESSIONAL II JAZZ BASS® FL (0194000XXX)

## WIRING ASSEMBLY



# AMERICAN PROFESSIONAL II JAZZ BASS® FL (0194000XXX)

## SWITCH AND CONTROL FUNCTION



# AMERICAN PROFESSIONAL II JAZZ BASS® FL (0194000XXX)

## ADDITIONAL SPECIFICATION DETAIL

<p><b>FRET SIZE: NONE</b> (FRET DIMENSIONS ARE BEFORE INSTALLATION)</p>	<p>PLEASE NOTE: AS EACH NECK IS SANDED &amp; FINISHED BY HAND, THICKNESS DIMENSIONS MAY VARY SLIGHTLY FROM THOSE SHOWN.</p>	<p><b>NECK PROFILE: MODERN "C"</b></p> <p><b>1ST FRET PROFILE</b></p> <p><b>12TH FRET PROFILE</b></p>
---	---	---

**TUNING MACHINES SET: P/N 0097335049**  
**OUTER SHAFT DIAMETER .533"**

Ø.533"

**TUNING MACHINE THRU-HOLE**  
**INNER DIAMETER .687"**

Ø.687"

**SADDLE HEIGHT ADJUSTMENT WRENCH:**  
**1/16" HEX KEY P/N 0021109049**  
**SADDLE HEIGHT ADJUSTMENT SCREWS: P/N 0075354000**

1/16" HEX

7/64" HEX

**INTONATION ADJUSTMENT WRENCH:**  
**7/64 HEX KEY P/N 0995504002**

**TRUSS ROD ADJUSTMENT NUT:**  
**P/N 0048688049**  
**TRUSS ROD ADJUSTMENT WRENCH:**  
**3/16" HEX KEY P/N 7710885000**

3/16" HEX

Ø.375"

12-28  
THREAD

**LOGO: AM PRO J-BASS DECAL**  
**APPLIED UNDER THE FINISH**

<b>PICKUP SPECIFICATIONS</b>			
POSITION	MAGNETS	DC RESISTANCE	POLARITY
NECK	ALNICO 2 & 4 BEVELED	7.2 - 7.6KΩ	SOUTH
BRIDGE	ALNICO 2 & 4 BEVELED	7.3 - 7.7KΩ	NORTH